WEST Search History

Hide Items | Restore | Clear | Cancel |

DATE: Sunday, June 18, 2006

Hide?	Set Name	Query	Hit Count
	DB=PGPB, U	SPT, USOC, EPAB, JPAB, DWPI, TDBD;	PLUR=NO; OP=ADJ
	L10	L7 same amino acid	4
	L7	tetrathiafulvalen\$	859
	L6	L2 and liquid crystal\$	5
	L5	L2 same liquid crystal\$	1
	L2	gelling agent same amino acid	204

END OF SEARCH HISTORY

```
C:\Program Files\Stnexp\Queries\796981.st
```

```
20 21
ring nodes :
   1 2 3 4
             5 6 7 8 9 10
chain bonds :
            11-13 13-14 13-15 15-16 15-17 17-18 18-19 18-20 20-21
   1-8 6-11
ring bonds :
   1-2 1-5 2-3 3-4 4-5 6-7 6-10 7-8 8-9
                                            9-10
exact/norm bonds :
   1-2 1-5 2-3 3-4 4-5 6-7 6-10 6-11 7-8 8-9 9-10 11-13 13-14
   13-15 15-17 18-19 18-20
exact bonds :
   1-8 15-16 17-18 20-21
G1:C,O,S,N,P,Si
```

18 19

chain nodes : 11 13 14

15 16 17

Match level: 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS 21:CLASS

```
AN
     2005:362101 CAPLUS
DN
     142:439101
ED
    Entered STN: 28 Apr 2005
ΤI
    Gelling agents, manufacture of gelling agents, liquid crystal
     compositions, and charge-transfer complexes
IN
     Kato, Takashi; Kitamura, Akira; Mizoshita, Tomohiro; Tochigi, Yusuke
PA
     JSR Ltd., Japan
SO
     Jpn. Kokai Tokkyo Koho, 18 pp.
     CODEN: JKXXAF
DT
    Patent
    Japanese
LA
IC
    ICM C09K003-00
     ICS C07D339-06; C09K019-12; C09K019-54
CC
     75-11 (Crystallography and Liquid Crystals)
    Section cross-reference(s): 28
FAN.CNT 1
    PATENT NO.
                       KTND
                              DATE
                                         APPLICATION NO.
                                                               DATE
                       ----
                              _____
                                         -----
    JP 2005112951
PΤ
                        A2
                              20050428
                                         JP 2003-347203
                                                               20031006
PRAI JP 2003-347203
                              20031006
CLASS
              CLASS PATENT FAMILY CLASSIFICATION CODES
PATENT NO.
                      -----
JP 2005112951
                TCM
                      C09K003-00
                      C07D339-06; C09K019-12; C09K019-54
                TCS
                IPCI
                      C09K0003-00 [ICM,7]; C07D0339-06 [ICS,7]; C07D0339-00
                       [ICS,7,C*]; C09K0019-12 [ICS,7]; C09K0019-10
                       [ICS,7,C*]; C09K0019-54 [ICS,7]
                      C07D0339-00 [I,C*]; C07D0339-06 [I,A]; C09K0003-00
                IPCR
                       [I,A]; C09K0003-00 [I,C*]; C09K0019-10 [I,C*];
                      C09K0019-12 [I,A]; C09K0019-54 [I,A]; C09K0019-54
                       [I,C*]
                      4C023/NA07; 4H027/BA01; 4H027/BA03; 4H027/BD03;
                FTERM
                      4H027/BD24; 4H027/CD04
os
    MARPAT 142:439101
GI
```

The title gelling agents are functional amino acids compounded by tetrathiafulvalene groups (I: X = single or divalent organic bonding; Y = monovalent organic bonding; n = 8-18) and are manufactured by reacting tetrathiafulvalene derivs. and amino acid derivs. in a mixed solvent containing 1-ethyl-3-(3-dimethylaminopropyl)carbodiimide salts and 4-(N,N-dimethylamino)pyridine. The charge transfer complexes as the gelling agents are applicable to gelation of fibrous mol. ensembles to new liquid crystal compns.

ST amino acid tetrathiafulvalene gelling agent transfer complex liq crystal

IT Ensembles

IT

Gelation

Gelation agents

Liquid crystals

(tetrathiafulvalene-substd. amino acid gelling agents and manufacture of gelling agents and liquid crystal compns. and charge-transfer complexes) Charge transfer complexes

RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation)

(tetrathiafulvalene-substd. amino acid gelling agents and manufacture of gelling agents and liquid crystal compns. and charge-transfer complexes)

IT 1518-16-7, Tetracyanoquinodimethane 7553-56-2, Iodine, uses 7726-95-6, Bromine, uses

RL: MOA (Modifier or additive use); TEM (Technical or engineered material use); USES (Uses)

(charge-transfer complex compound with; tetrathiafulvalene-substd. amino acid gelling agents and manufacture of gelling agents and liquid crystal compns. and charge-transfer complexes)

IT 850728-15-3P 850728-16-4P

RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation) (gelation agent; tetrathiafulvalene-substd. amino acid gelling agents and manufacture of gelling agents and liquid crystal compns. and charge-transfer complexes)

IT 52364-72-4, 4-Heptyloxy-4'-cyanobiphenyl

RL: PRP (Properties)

(liquid crystal compound mixture; tetrathiafulvalene-substd. amino acid gelling agents and manufacture of gelling agents and liquid crystal compns. and charge-transfer complexes)

IT 52709-84-9, 4-Octyl-4'-cyanobiphenyl

RL: PRP (Properties)

(liquid crystal compound; tetrathiafulvalene-substd. amino acid gelling agents and manufacture of gelling agents and liquid crystal compns. and charge-transfer complexes)

IT 70247-25-5, 4-Decyloxy-4'-cyanobiphenyl

RL: PRP (Properties)

(tetrathiafulvalene-substd. amino acid gelling agents and manufacture of gelling agents and liquid crystal compns. and charge-transfer complexes)

IT 63822-38-8 260247-44-7 733742-40-0

RL: RCT (Reactant); RACT (Reactant or reagent)

(tetrathiafulvalene-substd. amino acid gelling agents and manufacture of gelling agents and liquid crystal compns. and charge-transfer complexes)

IT 850728-15-3P 850728-16-4P

RL: PNU (Preparation, unclassified); PRP (Properties); PREP (Preparation) (gelation agent; tetrathiafulvalene-substd. amino acid gelling agents and manufacture of gelling agents and liquid crystal compns. and charge-transfer complexes)

RN 850728-15-3 CAPLUS

CN Pentanamide, 2-[[[[2-(1,3-dithiol-2-ylidene)-1,3-dithiol-4-yl]methoxy]acetyl]amino]-3-methyl-N-octadecyl-, (2S,3S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 850728-16-4 CAPLUS

CN 1,3-Dithiole-4-carboxamide, 2-(1,3-dithiol-2-ylidene)-N-[(1S,2S)-2-methyl-1-[(octadecylamino)carbonyl]butyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Me (CH₂)
$$\frac{H}{17}$$
 $\frac{S}{N}$ $\frac{H}{H}$ $\frac{S}{S}$ $\frac{S}{S}$

.

```
AN
     2005:1051116 CAPLUS
DN
     144:15152
ED
     Entered STN: 02 Oct 2005
     Electroactive Supramolecular Self-Assembled Fibers Comprised of Doped
TI
     Tetrathiafulvalene-Based Gelators
ΑU
     Kitamura, Tetsu; Nakaso, Suguru; Mizoshita, Norihiro; Tochigi, Yusuke;
     Shimomura, Takeshi; Moriyama, Masaya; Ito, Kohzo; Kato, Takashi
CS
     Department of Chemistry and Biotechnology, School of Engineering,
     University of Tokyo, Tokyo, 113-8656, Japan
SO
     Journal of the American Chemical Society (2005), 127(42), 14769-14775
     CODEN: JACSAT; ISSN: 0002-7863
PB
     American Chemical Society
DT
     Journal
     English
LA
CC
     76-14 (Electric Phenomena)
     Section cross-reference(s): 73, 75
     New electroactive supramol. fibers were formed by self-assembly of the
AB
     derivs. of tetrathiafulvalene (TTF) in liquid crystals. These derivs. are
     designed and prepared by introducing the TTF moiety to the scaffold derived
     from amino acids such as L-isoleucine whose derivs. function as
     organogelators. These TTF-based gelators form stable fibrous aggregates
     in liquid crystals. These fibers are the 1st example of hydrogen-bonded
     1-dimensional aggregates having electroactive moieties whose elec.
     conductivities were measured after doping. Their electronic states also were characterized by spectroscopic methods. Unidirectionally aligned
     fibers are formed in the oriented liquid crystal solvents on the rubbed
     polyimide surface for further functionalization of the fibers.
ST
     electroactive supramol self assembled fiber doped tetrathiafulvalene
     gelator
IT
     Electric conductors
        (electroactive fibers; electroactive supramol. self-assembled fibers
        comprised of doped tetrathiafulvalene-based gelators)
TT
     Aggregates
     Atomic force microscopy
     Electric conductivity
     Electric current-potential relationship
     Electronic state
     IR spectra
     Liquid crystals
     Phase transition
     Self-assembly
     UV and visible spectra
        (electroactive supramol. self-assembled fibers comprised of doped
        tetrathiafulvalene-based gelators)
IT
     73-32-5, L-Isoleucine, properties
                                         31366-25-3, Tetrathiafulvalene
     RL: PRP (Properties); RCT (Reactant); RACT (Reactant or reagent)
        (electroactive supramol. self-assembled fibers comprised of doped
        tetrathiafulvalene-based gelators)
TΤ
     850728-15-3P 850728-16-4P 869965-24-2P
     RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
        (electroactive supramol. self-assembled fibers comprised of doped
        tetrathiafulvalene-based gelators)
ŦΤ
     68128-93-8, 4-(Hydroxymethyl)tetrathiafulvalene
                                                         733742-40-0
     869965-27-5
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (electroactive supramol. self-assembled fibers comprised of doped
        tetrathiafulvalene-based gelators)
IT
     40817-08-1
                 869965-25-3
                               869965-26-4
     RL: FMU (Formation, unclassified); PRP (Properties); FORM (Formation,
     nonpreparative)
        (liquid crystals; electroactive supramol. self-assembled fibers comprised
        of doped tetrathiafulvalene-based gelators)
RE.CNT 60
              THERE ARE 60 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE
```

- (1) Abdallah, D; Adv Mater 2000, V12, P1237 CAPLUS
- (2) Ajayaghosh, A; J Am Chem Soc 2001, V123, P5148 CAPLUS
- (3) Akutagawa, T; Langmuir 2004, V20, P4187 CAPLUS
- (4) Bozio, R; J Chem Phys 1979, V71, P2282 CAPLUS
- (5) Bryce, M; Chem Soc Rev 1991, V20, P355 CAPLUS
- (6) Bryce, M; J Mater Chem 1999, V9, P2973 CAPLUS
- (7) Bryce, M; J Mater Chem 2000, V10, P589 CAPLUS
- (8) Bryce, M; Nature 1995, V374, P771 CAPLUS
- (9) Bushey, M; Angew Chem, Int Ed 2002, V41, P2828 CAPLUS
- (10) Collier, C; Science 2000, V289, P1172 CAPLUS
- (11) Dhindsa, A; Chem Mater 1992, V4, P724 CAPLUS
- (12) Dhindsa, A; Synth Met 1988, V27, PB563 CAPLUS
- (13) Engelkamp, H; Science 1999, V284, P785 CAPLUS
- (14) Garin, J; Synthesis 1994, P489 CAPLUS
- (15) Green, D; J Org Chem 1979, V44, P1476 CAPLUS
- (16) Hanabusa, K; Adv Mater 1997, V9, P1095 CAPLUS
- (17) Hanabusa, K; Chem Mater 1999, V11, P649 CAPLUS
- (18) Hartgerink, J; Curr Opin Solid State Mater Sci 2001, V5, P355 CAPLUS
- (19) Hill, J; Science 2004, V304, P1481 CAPLUS
- (20) Hoeben, F; Chem Rev 2005, V105, P1491 CAPLUS
- (21) Ikkala, O; Chem Commun 2004, P2131 CAPLUS
- (22) Jonkheijm, P; J Am Chem Soc 2003, V125, P15941 CAPLUS
- (23) Jorgensen, M; J Org Chem 1994, V59, P5877
- (24) Kasha, M; Pure Appl Chem 1965, V11, P371 CAPLUS
- (25) Kato, T; Chem Lett 1998, P193 CAPLUS
- (26) Kato, T; Langmuir 2002, V18, P7086 CAPLUS
- (27) Kato, T; Science 2002, V295, P2414 CAPLUS
- (28) Kobayashi, A; Chem Rev 2004, V104, P5243 CAPLUS
- (29) Lehn, J; Science 2002, V295, P2400 CAPLUS
- (30) Liu, Y; Chem-Eur J 2005, V11, P369
- (31) Meijer, E; J Am Chem Soc 2002, V124, P1269
- (32) Melendez, R; Struct Bonding 2000, V96, P31 CAPLUS
- (33) Messmore, B; J Am Chem Soc 2004, V126, P14452 CAPLUS
- (34) Mizoshita, N; Adv Funct Mater 2003, V13, P313 CAPLUS
- (35) Mizoshita, N; Adv Mater 2005, V17, P692 CAPLUS (36) Mizoshita, N; Chem Commun 1999, P781 CAPLUS
- (37) Moriyama, M; Adv Mater 2003, V15, P1335 CAPLUS
- (38) Nielsen, M; Chem Soc Rev 2000, V29, P153 CAPLUS
- (39) Richard, J; J Chem Soc, Chem Commun 1988, P754 CAPLUS
- (40) Sawamura, M; Nature 2002, V419, P702 CAPLUS
- (41) Schoonbeek, F; Angew Chem, Int Ed 1999, V38, P1393 CAPLUS
- (42) Schukat, G; Sulfur Rep 2003, V24, P1 CAPLUS
- (43) Segura, J; Angew Chem, Int Ed 2001, V40, P1372 CAPLUS
- (44) Service, R; Science 2002, V295, P2398 CAPLUS
- (45) Shinkai, S; J Mater Chem 1998, V8, P485 CAPLUS (46) Simpson, C; J Mater Chem 2004, V14, P494 CAPLUS
- (47) Sly, J; Chem Commun 2005, P1255 CAPLUS
- (48) Smith, R; J Am Chem Soc 1997, V119, P4092 CAPLUS (49) Stoddart, J; Chem-Eur J 2003, V9, P2982
- (50) Sugano, T; Bull Chem Soc Jpn 1978, V51, P1041 CAPLUS
- (51) Sugiyasu, K; J Synth Org Chem Jpn 2005, V63, P359 CAPLUS
- (52) Suzuki, Y; J Mater Chem 2003, V13, P2870 CAPLUS
 (53) Toniolo, C; Biopolymers 1977, V16, P219 CAPLUS
 (54) Torrance, J; Phys Rev B 1979, V19, P730 CAPLUS

- (55) van Esch, J; Angew Chem, Int Ed 2000, V39, P2263 CAPLUS
- (56) van Herrikhuyzen, J; J Am Chem Soc 2004, V126, P10021 CAPLUS
- (57) van Nostrum, C; J Am Chem Soc 1995, V117, P9957 CAPLUS
- (58) Weiss, R; Molecular Gels 2005
- (59) Wu, P; Chem Lett 1986, P441 CAPLUS
- (60) Yoshio, M; J Am Chem Soc 2004, V126, P994 CAPLUS
- 850728-15-3P 850728-16-4P 869965-24-2P
 - RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (electroactive supramol. self-assembled fibers comprised of doped tetrathiafulvalene-based gelators)

RN 850728-15-3 CAPLUS

CN Pentanamide, 2-[[[[2-(1,3-dithiol-2-ylidene)-1,3-dithiol-4-yl]methoxy]acetyl]amino]-3-methyl-N-octadecyl-, (2S,3S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 850728-16-4 CAPLUS

CN 1,3-Dithiole-4-carboxamide, 2-(1,3-dithiol-2-ylidene)-N-[(1S,2S)-2-methyl-1-[(octadecylamino)carbonyl]butyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Me (CH₂)
$$\frac{H}{17}$$
 $\frac{S}{N}$ $\frac{H}{H}$ $\frac{S}{S}$ $\frac{S}{S}$

RN 869965-24-2 CAPLUS

CN Butanamide, N,N'-1,12-dodecanediylbis[2-[[[[2-(1,3-dithiol-2-ylidene)-1,3-dithiol-4-yl]methoxy]acetyl]amino]-3-methyl-, (2S,2'S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.